

Message

---

**From:** Yap-deffler, Yazmine [Yap-Deffler.Yazmine@epa.gov]  
**Sent:** 5/14/2018 8:26:07 PM  
**To:** Vallone, Christopher [Vallone.Christopher@epa.gov]  
**Subject:** Fwd: Bishop Tube

Thanks,  
Yaz

Yazmine J. Yap-Deffler, Chief  
Site Assessment & Non-NPL Federal Facilities Branch (3HS12)  
US EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103  
215-814-3369 (Office)  
267-761-2089 (Cell)

Begin forwarded message:

**From:** "Koffi, LaRonda" <Koffi.LaRonda@epa.gov>  
**Date:** May 14, 2018 at 12:34:57 PM EDT  
**To:** "Dietz, Linda" <Dietz.Linda@epa.gov>, "Hirsh, Steven" <Hirsh.Steven@epa.gov>, "Yap-deffler, Yazmine" <Yap-Deffler.Yazmine@epa.gov>  
**Subject:** RE: Bishop Tube

Linda,  
I guess they should download and use this briefing format?

RA Briefing One Pager 17APR.docx

**To:** Hirsh, Steven <Hirsh.Steven@epa.gov>; Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>  
**Cc:** Koffi, LaRonda <Koffi.LaRonda@epa.gov>  
**Subject:** Bishop Tube

Hi – Several months ago Maya Van Rossum came into EPA and talked about the Bishop Tube Site (PA) to us. I can't remember if either of you were in your position at that time but I do remember Site Assessment was present. Cos wants to call the Township and get a status of what is going on. In preparation, he is requesting a one page briefing paper. Can you have your staff put a paper together with their most recent information. Please send it to LaRonda, Karen, and I. Thanks

***Linda Dietz***, Acting Deputy Director  
Hazardous Sites Cleanup Division  
EPA Region 3  
215-814-3195 (desk)  
215-892-8261 (cell)  
[Dietz.linda@epa.gov](mailto:Dietz.linda@epa.gov)